PRO-313 INTERNAL GRIT PRIMER SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

1.1 Product Identifier:

PRO-313 Internal Grit Primer

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Life-cycle stage
C/PW – Consumer use / Widespread use by professional workers

Sector of Use (SU)
SU19 – Construction and building work

Product Category (PC)
PC9a – Coatings and paints, thinners, paint removers

Process Category (PROC)
PROC10 – Roller and brush applications
PROC11 – Non-industrial spraying
PROC19 – Manual activities involving hand contact

Environmental Release Category (ERC)
ERC10a / ERC11a – Widespread use of articles with low release

Article Category (AC)
AC0 – Other

Use of the material/mixture
Priming – A product intended for industrial, craft, and personal use for surface treatment of construction substrates.
All other uses are not recommended.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:
EWI Pro Insulation Systems Ltd
Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT
0800 133 7072
info@ewipro.com
technical@ewipro.com

Producer:
KREISEL - Technika Budowlana Sp. z o.o., ul. Szarych Szeregów 23, 60-462 Poznań, Poland
Tel. +48 61 846 79 00
Fax +48 61 846 79 09
sekretariat@kreisel.pl
www.kreisel.pl

1.4 Emergency phone number:

Environment Agency Emergency Hotline: +44/(0)800 80 70 60
Emergency Services (UK): 999

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification in accordance with Regulation (EC) No. 1272/2008
This product is not classified according to CLP regulations.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008
Not applicable.

Hazard pictograms
Not applicable.

Signal word
Not applicable.

Hazard statements
Not applicable.

Precautionary statements
Maintain standard safety measures when handling chemicals.

Additional information:
EUH208 Contains 2-Methyl-2H-isothiazol-3-one. May cause an allergic reaction.
Contains the following biocidal active substances for product protection. Please observe the information in the safety data sheet and legal regulations: MIT (Methylisothiazolinone).

2.3 Other hazards

No additional relevant information is available.

Results of PBT and vPvB assessment
PBT: This substance/mixture does not contain any components classified as persistent, bioaccumulative and toxic (PBT) at ≥0.1%.
vPvB: This substance/mixture does not contain any components classified as very persistent and very bioaccumulative (vPvB) at ≥0.1%.

Endocrine-disrupting properties
This substance/mixture does not contain components with endocrine-disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at concentrations ≥0.1%.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Chemical Characterisation: Substances

This product is a mixture.

3.2 Mixtures

Description:
A mixture of acrylate dispersion and fillers without hazardous properties.

Hazardous Components Contained:		
CAS: 2682-20-4 EINECS: 220-239-6 REACH: 01-2120764690-50	2-Methyl-2H-isothiazol-3-one (MIT) Classifications:  Acute Tox. 3, H301 (Toxic if swallowed) Acute Tox. 3, H311 (Toxic in contact with skin) Acute Tox. 2, H330 (Fatal if inhaled)  Skin Corr. 1B, H314 (Causes severe skin burns and eye damage) Eye Dam. 1, H318 (Causes serious eye damage)  Aquatic Chronic 1, H410 (Very toxic to aquatic life with long-lasting effects)  Skin Sens. 1, H317 (May cause an allergic skin reaction) Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.0015%	< 0,0015%

Other Components (>20%):		
CAS: 14808-60-7 EINECS: 238-878-4 REACH: exempt[1]	Silicon dioxide (SiO_2) (<1% respirable crystalline silica) Consisting of: 14808-60-7 Quartz (SiO_2) 14464-46-1 Cristobalite 15468-32-3 Tridymite	25–50%
CAS: 7732-18-5 EINECS: 231-791-2 REACH: exempt[1]	Water	25–50%
CAS: 16389-88-1 EINECS: 240-440-2 REACH: exempt[1]	Dolomite (Calcium/Magnesium carbonate) Composition: 90% Calcium/Magnesium carbonate 471-34-1 Calcium carbonate (0–10%) 14808-60-7 Quartz (SiO_2) (0–10%) 37244-96-5 Feldspar (0–5%) 12001-26-2 Mica – potassium aluminium silicate (0–5%)	10–25%

Additional Information:
The full wording of the hazard statements listed above can be found in Section 16 of the SDS.
[1] Not subject to registration according to EC 1907/2006 Annex V (point 7) or Article 2.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

General instructions:
No special personal protective equipment is required for the first aider, however, the first aider should avoid direct contact with the product.

After inhalation:
Move the affected person into fresh air and keep them at rest. If difficulties occur, obtain medical attention. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place and transport them in the recovery position (on their side).

After skin contact:
Immediately wash the skin with water and soap and rinse thoroughly. Remove contaminated or soaked clothing immediately. Wash clothing before reuse. Clean shoes before wearing them again. If skin irritation persists, seek medical advice.

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

After eye contact:
Do not rub the eyes, as mechanical irritation can cause additional damage. Remove contact lenses if present and easy to do. Rinse eyes immediately while keeping eyelids open for 20 minutes under running water. If possible, use an isotonic solution (e.g., 0.9% NaCl). Always seek medical treatment.

After swallowing:
Do not induce vomiting. If conscious, rinse mouth with water and drink plenty of water. Seek medical advice.

4.2 Main symptoms and effects, acute and delayed:

Symptoms and effects are described in Sections 2 and 11.

Hazards:
No additional relevant information is available.

4.3 Indications for medical attention and special treatments to be administered immediately:

If a doctor is consulted, the safety data sheet should be presented whenever possible.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

The mixture is not flammable, neither in its dry form nor after mixing.
Therefore, the extinguishing agent and firefighting approach should be selected according to the fire in the surrounding area.

Suitable extinguishing media:
The mixture itself is not flammable in either dry or mixed form.
Choose extinguishing measures appropriate to the ambient fire conditions.

5.2 Special hazards arising from the substance or mixture

The product is neither explosive nor flammable and does not cause ignition of other materials.
There is an increased risk of slipping if the product spills or leaks, due to its physical properties.

5.3 Advice for firefighters

No special firefighting measures are required.
Collect any contaminated extinguishing water thoroughly—it must not enter the sewage system.
Fire residues and contaminated extinguishing water must be disposed of according to official regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For information on exposure limits and the use of personal protective equipment, see Section 8.

6.2 Environmental precautions

Prevent the product—whether undiluted or in larger quantities—from entering groundwater, surface water, or the sewage system.

6.3 Methods and material for containment and cleaning up

Collect the material using liquid-absorbing substances (e.g., sand, diatomaceous earth, acid-binding agents, universal binders, sawdust).
Dispose of collected material in accordance with regulatory requirements.

6.4 Reference to other sections

For information on safe handling, see Section 7.
For information on personal protective equipment, see Section 8.
For information on disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation/extraction at the workplace. Avoid contact with eyes and skin. Use personal protective equipment.
Water/eye-wash facilities should be available for washing and cleaning eyes and skin.
Persons with a tendency toward skin diseases or other hypersensitivity reactions should not handle the product.
Do not eat, drink, smoke, or sniff while working.

Advice on protection against fire and explosion:
No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers:
Keep out of reach of children. Store in tightly closed containers, in a dry and cool place.

Information about storage together with other materials:
Store separately from foodstuffs, beverages, and animal feed.

Further information on storage conditions:
Protect from frost.

Protect from heat and direct sunlight.

Minimum shelf life:
Storage duration (+5°C to +25°C): see information on the packaging.

Storage class: 12

7.3 Specific end uses

No further relevant information available.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components with workplace-related limit values:
The product does not contain any relevant quantities of substances with workplace limit values that would require monitoring.

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

DNEL		
2682-20-4 — 2-Methyl-2H-isothiazol-3-one (MIT)		
Oral	Long-term exposure	0.027 mg/kg bw/day (Consumer)
	Short-term exposure	0.053 mg/kg bw/day (Consumer)
Inhalation	Local — Long-term exposure	0.021 mg/m³ (Consumer)
		0.021 mg/m³ (Worker)
	Local — Short-term exposure	0.34 mg/m³ (Consumer)
		0.34 mg/m³ (Worker)

PNEC	
2682-20-4 — 2-Methyl-2H-isothiazol-3-one	
Freshwater	0.00339 mg/l (unspecified)
Sediment	0.047 mg/kg (unspecified)
Marine sediment	0.00339 mg/kg (unspecified)
Wastewater treatment plant (WWTP)	0.23 mg/l (unspecified)

Components with biological limit values:
None.

Additional notes:
Applicable regulatory lists valid at the time of preparation were used as the basis.

8.2 Exposure controls

8.2.1 Additional notes regarding technical facility design

No further data available; see Section 7.

8.2.2 Individual protection measures, such as personal protective equipment

General protective and hygiene measures:
- Use preventive skin protection with protective cream.
- Avoid prolonged or intensive contact with the skin.
- Avoid contact with the eyes.
- Wash hands before breaks and after finishing work.

8.2 Exposure controls (continued)

General protective and hygiene measures (continued)
Wash hands.
Store separately from food, beverages, and animal feed.
Do not eat, drink, smoke, or sniff during work.

Respiratory protection:

Respiratory protection is required only if aerosols or mist are generated

(Type FFP2 according to EN 149).

Hand protection:

Chemical-resistant protective gloves according to EN ISO 374.
The glove material must be impermeable and resistant to the product.
Due to the absence of specific testing for this product, no specific glove material can be recommended.

Selection of glove material must consider:

- potential deterioration,
- breakthrough times,
- membrane permeability, and
- the risk of cracking.

Inspect gloves before each use. Preventive skin protection using suitable protective creams is recommended.
To avoid skin problems, limit glove use to the necessary duration only.

Glove material:
Choosing suitable gloves depends not only on the material but also on quality characteristics that vary by manufacturer. Since the product consists of multiple components, glove resistance cannot be predicted and must be tested before use.

Breakthrough time of glove materials:
Consult the glove manufacturer for exact breakthrough times and adhere to their specifications.

Suitable materials for prolonged contact:

- Polychloroprene (material thickness ≥ 0.5 mm; breakthrough time ≥ 480 min)
- Nitrile rubber (material thickness ≥ 0.35 mm; breakthrough time ≥ 480 min)
- Butyl rubber (material thickness ≥ 0.5 mm; breakthrough time ≥ 480 min)
- Fluoro-rubber (FKM) (material thickness ≥ 0.4 mm; breakthrough time ≥ 480 min)
- Neoprene (material thickness ≥ 0.5 mm; breakthrough time ≥ 480 min)

Unsuitable glove materials:

- Impermeable gloves made of fabric, leather, or similar materials.

Eye/face protection:

If there is a risk of splashing, use tight-fitting protective goggles according to EN 166.

Body protection:

Wear protective work clothing.

Risk management measures:
Workers must be trained in the correct use of personal protective equipment to ensure its required effectiveness.

8.2.3 Environmental exposure controls:

Prevent release into the environment.
Use any remaining product completely or dispose of it professionally.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

General information
➥ Physical state: Liquid
Appearance:
➥ Form: Liquid
➥ Colour: Green
➥ Odour: Mild
➥ Odour threshold: Not relevant for safety
➥ pH at 20°C: 8–10

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

Change of state
➥ Melting/freezing point: ~ 0°C (ISO 3016)
➥ Boiling point / initial boiling point and boiling range: 100°C

Flammability
➥ The substance is not flammable.
➥ Flash point: Not applicable
➥ Decomposition temperature: Not determined
➥ Oxidising properties: None
➥ Explosive properties: The product does not present an explosion hazard.

Explosive limits
➥ Lower: Not determined
➥ Upper: Not determined

Ignition temperature
➥ The product is not self-igniting.

Vapour pressure at 20°C
➥ 23 hPa

Density and/or relative density
➥ Density at 20°C: 1.2–1.4 g/cm³
➥ Particle size: Not specified.

Viscosity
➥ Dynamic viscosity at 20°C: > 100 mPa·s (DIN 53019)

Solubility
➥ Water: Completely miscible
➥ Partition coefficient (log value): Not determined

Solid content
➥ 25–27%

Solvent content
➥ Organic solvents: 0.6%
➥ VOC without water (EU): 1–1.28 g/l
➥ VOC with water (EU): 0.58–<0.76 g/l
➥ VOC with water (EU): 0.048–<0.054%

9.2 Other information

Information regarding physical hazard classes
➥ Explosives: Not applicable
➥ Flammable gases: Not applicable
➥ Aerosols: Not applicable
➥ Oxidising gases: Not applicable
➥ Gases under pressure: Not applicable
➥ Flammable liquids: Not applicable
➥ Flammable solids: Not applicable
➥ Self-reactive substances and mixtures: Not applicable
➥ Pyrophoric (self-igniting) liquids: Not applicable
➥ Pyrophoric (self-igniting) solids: Not applicable
➥ Self-heating substances and mixtures: Not applicable
➥ Substances and mixtures which, in contact with water, emit flammable gases: Not applicable
➥ Oxidising liquids: Not applicable
➥ Oxidising solids: Not applicable
➥ Organic peroxides: Not applicable
➥ Substances corrosive to metals: Not applicable
➥ Desensitised explosives: Not applicable

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No hazardous reactions are known.

10.2 Chemical stability

The product is stable when stored appropriately and kept dry.

Thermal decomposition / conditions to avoid decomposition:
No decomposition occurs when used as intended.

10.3 Possibility of hazardous reactions

No hazardous reactions are known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Minimum shelf life:
Storage duration (+5°C to +25°C): See information on the packaging.

Additional information:
No further relevant information available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The product has not been tested. The statement is derived from the properties of the individual components.

Acute toxicity:
Based on available data, the classification criteria are not met.

LD/LC_{50} values relevant for classification (LD_{50} = lethal dose, LC_{50} = lethal concentration):		
14808-60-7 Silicon dioxide (<1% RCS)		
Oral	LD_{50}	> 5,000 mg/kg (rat)
Dermal	LD_{50}	> 5,000 mg/kg (rat)
2682-20-4 2-Methyl-2H-isothiazol-3-one		
Oral	LD_{50}	232–249 mg/kg (rat) (OECD 401)
Dermal	LD_{50}	242 mg/kg (rat) (OECD 402)
Inhalation	LC_{50} (4h)	0.05 mg/l (ATE)
	LC_{50} (4h)	0.11 mg/l (rat) (OECD 403)

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

Other data (experimental toxicology):		
14808-60-7 Silicon dioxide (<1% RCS)		
Skin irritation	OECD 404	(rabbit) — not irritant
Eye irritation	OECD 405	(rabbit) — not irritant
Sensitisation	OECD 429	(LLNA, mouse) — not sensitising
2682-20-4 2-Methyl-2H-isothiazol-3-one		
Oral	OECD 408 (90-day repeated-dose oral toxicity)	19 mg/kg bw/day (rat)
Skin irritation	OECD 404	(rabbit) — corrosive
Sensitisation	OECD 406	(guinea pig) — sensitising

Primary irritant effect

On the skin:
Based on available data, the classification criteria are not met.

On the eye:
Based on available data, the classification criteria are not met.

Sensitisation:
Longer exposure may lead to sensitisation as a result of skin contact.
Based on available data, the classification criteria are not met.

Germ cell mutagenicity:
Based on available data, the classification criteria are not met.

Carcinogenicity:
Based on available data, the classification criteria are not met.

Reproductive toxicity:
Based on available data, the classification criteria are not met.

Specific target organ toxicity — single exposure (STOT SE):
Based on available data, the classification criteria are not met.

Specific target organ toxicity — repeated exposure (STOT RE):
Based on available data, the classification criteria are not met.

Aspiration hazard:
Based on available data, the classification criteria are not met.

Practical experience:
No further relevant information available.

General notes:
No further relevant information available.

11.2 Information on other hazards

Endocrine-disrupting properties:
None of the contained substances is listed as having endocrine-disrupting properties.

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the individual components.

Aquatic toxicity:	
2682-20-4 2-Methyl-2H-isothiazol-3-one (MIT)	
LC_{50} (96h, marine water)	2.98 mg/l (Water flea – Daphnia magna)
LC_{50} (96h, freshwater)	0.934 mg/l (Water flea – Daphnia magna)
LC_{50}	4.77 mg/l (Fish) (OECD 203)
EC_{10}	0.044 mg/l (Daphnia magna) (OECD 211)
	4.93 mg/l (Fish)
EC_{50}	41 mg/l (Activated sludge organisms) (OECD 209)
	0.103 mg/l (Algae – Pseudokirchneriella subcapitata) (OECD 201)
EC_{50} (16h)	2.3 mg/l (Pseudomonas putida)

12.2 Persistence and degradability

Some of the components are biodegradable.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: This substance/mixture does not contain components classified as persistent, bioaccumulative, and toxic (PBT) at ≥0.1%.
vPvB: This substance/mixture does not contain components classified as very persistent and very bioaccumulative (vPvB) at ≥0.1%.

12.6 Endocrine-disrupting properties

This substance/mixture does not contain components with endocrine-disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at concentrations ≥0.1%.

12.7 Other adverse effects

Literature:
No further relevant information available.

Ecotoxicological effects:
No further relevant information available.

Behaviour in sewage treatment plants:	
2682-20-4 2-Methyl-2H-isothiazol-3-one (MIT)	
EC_{20} (3h)	2.8 mg/l (Activated sludge organisms) (DIN 38412-3 TTC test)

Additional ecological information:

General remarks:
Generally, the product does not pose a threat to water sources.

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Recommendation:



Do not dispose of the product together with household waste. Do not allow the product to enter the sewage system. There is a risk of environmental contamination. Follow all applicable waste-disposal regulations. Unused product and contaminated packaging must be kept sealed. Provide appropriate waste-collection containers.

Hand over waste for disposal to a licensed specialist company authorised to perform such activities. Prevent the product from being released into the environment. Do not allow the product to enter drains or the sewage system. The product must not be disposed of with municipal waste.

Empty packaging may be sent for energy recovery in a waste-incineration plant or, if appropriately classified, taken to a landfill. Perfectly cleaned containers may be recycled.

Dispose of contents/container in accordance with local, regional, national, and international regulations.

European Waste Catalogue	
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11
15 01 02	Plastic packaging

08 01 12 → for residue of unused product
15 01 02 → for empty containers

Uncleaned packaging

Recommendation:
Dispose of according to official regulations.
Only empty packaging may be sent for recycling.

Recommended cleaning agent:
Water, with the addition of a cleaning agent if necessary.

SECTION 14: TRANSPORT INFORMATION

14.1. UN Number:

ADR, ADN, IMDG, IATA: Not applicable

14.2. Proper Shipping Name:

ADR, ADN, IMDG, IATA: Not applicable

14.3. Transport Hazard Class(es):

ADR, ADN, IMDG, IATA

Class: Not applicable

14.4. Packing Group:

ADR, IMDG, IATA: Not applicable

14.5. Environmental Hazards:

Marine pollutant: No

14.6. Special Precautions for User:

Not applicable

14.7. Transport in Bulk According to MARPOL Annex II and the IBC Code:

Not applicable

UN "Model Regulation": Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Regulations and legislation on health, safety, and environment specific to the mixture:

Observe normal safety precautions for handling chemicals.

Directive 2004/42/EC (VOC Directive)
IIA(g) 30 – The product contains < 30 g/l VOC (see Section 9).

- Product type: Paints and varnishes
- Product subcategory: Primers
- Water-soluble coatings, limit value: 30 g/l

Directive (EU) 2012/18 (Seveso III)
Named dangerous substances – Annex I:
None of the ingredients are listed.

National regulations

Water hazard class:
Generally not hazardous to water.

Other provisions, restrictions, and prohibitions:

- Regulation (EC) No. 1907/2006 (REACH) on the registration, evaluation, authorisation and restriction of chemicals, establishing the European Chemicals Agency, amending Directive 1999/45/EC, and repealing Regulation (EEC) No. 793/93, Commission Regulation (EC) No. 1488/94,Council Directive 76/769/EEC, and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- Commission Regulation (EU) No. 878/2020 amending Annex II to REACH (requirements for SDS format)
- Regulation (EC) No. 1272/2008 (CLP Regulation) on classification, labelling and packaging of substances and mixtures
- Regulation (EC) No. 1013/2006 on shipments of waste
- Regulation (EU) No. 528/2012 (Biocidal Products Regulation) concerning the making available on the market and use of biocidal products

15.2 Chemical Safety Assessment:

A chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Relevant H-phrases:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H410 Very toxic to aquatic life with long-lasting effects.

Instructional guidelines:
No additional training beyond the mandatory instruction required for handling hazardous substances is necessary.

Abbreviations and Acronyms:
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
ICAO: International Civil Aviation Organisation
MAK: Maximum workplace concentration (Austria/Germany)
PBT: Persistent, bioaccumulative and toxic
vPvB: Very persistent and very bioaccumulative
ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
ATE: Acute toxicity estimate
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment – Chronic Category 1

The information provided in this datasheet is based on the data available to us at the date of its publication.

It is the user's responsibility to take appropriate precautionary measures and apply the recommendations described previously. The information presented in this datasheet should not be considered exhaustive.

Any use of the product not specified in the instructions on the packaging, our website, or other documents provided by our company is entirely the responsibility of the user.

EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT