

PRO-570 READY MIXED PLASTER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

1.1 Product Identifier:

PRO-570 Ready Mixed Plaster

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Life cycle stage

C/PW Consumer use / Wide professional use

Sector of use

SU19 Construction and building work

Product category

PC9a Coatings and paints, thinners, paint removers

Process category

PROC10 Roller and brush application

PROC11 Non-industrial spraying

PROC19 Manual activities involving hand contact

Environmental release category

ERC10a / ERC11a Wide dispersive use of products with low release

Article category

AC 0 Other

Material/mixture use

Priming – Product for industrial, craft, and personal use for surface treatment of building surfaces.

All other uses are not recommended.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

EWI Pro Insulation Systems Ltd
Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT
0800 133 7072
info@ewipro.com
technical@ewipro.com

Producer:

KREISEL – Technika Budowlana Sp. z o.o., ul. Szarych Szeregów 23, 60-462 Poznań, Poland
Tel. +48 61 846 79 00
Fax +48 61 846 79 09
sekretariat@kreisel.pl
www.kreisel.pl

1.4 Emergency phone number:

Environment Agency Emergency Hotline: +44/(0)800 80 70 60

Emergency Services (UK): 999

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008

This product is not classified according to CLP regulations.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Not applicable

Hazard pictograms

Not applicable

Signal word

Not applicable

Hazard statements

Not applicable

Precautionary statements

Follow normal safety precautions when handling chemicals.

Additional information:

EUH208 Contains 2-Methyl-2H-isothiazol-3-one. May cause an allergic reaction.

Contains the following biocidal active substances for product protection.

Please follow the information in the safety data sheet and legal regulations: MIT.

2.3 Other hazards

No further relevant information available.

Results of PBT and vPvB assessment

PBT: This substance/mixture does not contain any components classified as persistent, bioaccumulative and toxic (PBT) at concentrations of 0.1% or higher.

vPvB: This substance/mixture does not contain any components classified as very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

Assessment of endocrine-disrupting properties

This substance/mixture does not contain components with endocrine-disrupting properties according to the criteria of Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at concentrations of 0.1% or higher.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS






3.1 Chemical Characterisation: Substances

This product is a mixture.

3.2 Mixtures

Description:

Mixture of acrylate dispersion and fillers without hazardous properties.

Hazardous ingredients:		
CAS: 2682-20-4 EINECS: 220-239-6 REACH: 01-2120764690-50	2-Methyl-2H-isothiazol-3-one Classifications:  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;  Skin Corr. 1B, H314;  Eye Dam. 1, H318;  Aquatic Chronic 1, H410;  Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.0015%	< 0,0015%

Other ingredients (>20%):		
CAS: 14808-60-7 EINECS: 238-878-4 REACH: †	Silicon dioxide (<1% RCS) Consisting of: 14808-60-7 Quartz (SiO ₂) 14464-46-1 Cristobalite 15468-32-3 Tridymite	25-50%
CAS: 7732-18-5 EINECS: 231-791-2 REACH: †	Water	25-50%
CAS: 16389-88-1 EINECS: 240-440-2 REACH: †	Dolomite (Calcium/Magnesium carbonate) Consisting of: 16389-88-1 Calcium/Magnesium carbonate (>90%) 471-34-1 Calcium carbonate (0-10%) 14808-60-7 Quartz (SiO ₂) (0-10%) 37244-96-5 Feldspar (0-5%) 12001-26-2 Mica – Potassium aluminium silicate (0-5%)	10-25%

Additional information:

The wording of the hazard statements listed above can be found in Section 16.

† Not subject to registration according to EC 1907/2006 Annex V (point 7) or Article 2.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

General instructions:

No special personal protective equipment is required for the first aider.
However, the first aider should avoid direct contact with the product.

After inhalation:

Move the affected person to fresh air and keep them at rest.
If symptoms occur, seek medical attention.
If breathing becomes irregular or stops, administer artificial respiration.
If unconscious, place and transport the person in the recovery position.

After skin contact:

Wash immediately with water and soap, and rinse thoroughly.
Remove contaminated, soaked clothing immediately.
Wash clothing before reuse. Clean shoes before wearing again.
If skin irritation persists, seek medical advice.



After eye contact:

Do not rub the eyes – mechanical irritation may cause additional injury.

Remove contact lenses if present and rinse eyes immediately with running water for 20 minutes while keeping eyelids open.

If available, use an isotonic solution (e.g., 0.9% NaCl).

Always seek medical treatment.

After swallowing:

Do not induce vomiting.

If the person is conscious, rinse mouth with water and drink plenty of water.

Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

The symptoms and effects are described in Sections 2 and 11.

Hazards:

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

When consulting a doctor, the safety data sheet should be presented if possible.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media:

The mixture is not flammable, neither in its dry state nor when mixed, therefore, select the extinguishing agent according to the surrounding fire.

Suitable extinguishing media:

The mixture is not flammable in any state. Choose the extinguishing measures suitable for the fire in the surrounding area.

5.2 Specific hazards arising from the mixture:

The product is neither explosive nor flammable and does not cause ignition of other materials.

There is a slip hazard due to spillage or leakage of the product.

5.3 Advice for firefighters:

No special measures are required.

Collect contaminated extinguishing water thoroughly—do not allow it to enter the sewage system.

Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Information on exposure limits and the use of personal protective equipment can be found in Section 8.

6.2 Precautions for the environment:

Do not allow the undiluted product or large quantities to enter groundwater, surface water, or the sewage system.

6.3 Methods and material for containment and cleaning:

Absorb with liquid-binding materials (sand, diatomaceous earth, acid binders, universal absorbents, sawdust). Dispose of the collected material in accordance with regulations.

6.4 Reference to other sections:

For information on safe handling, see Section 7.

For information on personal protective equipment, see Section 8.

For disposal information, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Ensure adequate ventilation/extraction at the workplace.

Avoid contact with eyes and skin.

Use personal protective equipment.

Water and facilities for washing and rinsing the eyes and skin should be available.

Persons prone to skin disorders or other hypersensitivity reactions should not handle the product.

Do not eat, drink, smoke, or sniff during work.

Advice on protection against fire and explosion:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers:

Keep out of reach of children.

Store in tightly closed containers in a dry and cool place.

Information on joint storage:

Store separately from food, beverages, and animal feed.

Further information on storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Minimum shelf life:

Storage period (+5 °C to +25 °C): See information on the packaging.

Storage class: 12

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

Components with workplace-related limit values:

The product does not contain relevant quantities of substances with workplace limit values that require monitoring.

DNEL		
2682 20 4 – 2-Methyl-2H-isothiazol 3 one		
Oral	Long-term	0.027 mg/kg bw/day - Consumer
	Short-term	0.053 mg/kg bw/day - Consumer
Inhalation	Local – Long term	0.021 mg/m ³ - Consumer
		0.021 mg/m ³ - Worker
	Local – Short term	0.34 mg/m ³ - Consumer
		0.34 mg/m ³ - Worker

PNEC	
2682-20-4 – 2-Methyl-2H-isothiazol-3-one	
Freshwater:	0.00339 mg/L (unspecified)
Sediment:	0.047 mg/kg (unspecified)
Sediment (marine water):	0.00339 mg/kg (unspecified)
Sewage treatment plant:	0.23 mg/L (unspecified)

Components with biological limit values:

Not applicable.

Additional information:

Valid lists used during preparation served as the basis for the above data.

8.2 Exposure controls

8.2.1 Additional information regarding technical installations

No further data available; see Section 7.

8.2.2 Individual protection measures, such as personal protective equipment

General protective and hygiene measures:

- Preventive skin protection using protective cream.
- Avoid prolonged and intensive contact with the skin.
- Avoid contact with the eyes.
- Wash hands before breaks and after finishing work.
- Store separately from food, beverages, and animal feed.
- Do not eat, drink, smoke, or sniff while working.

Respiratory protection:



Respiratory protection is required only if aerosols or mist form (Type FFP2 according to EN 149).

Hand protection:



Chemical-resistant protective gloves according to EN ISO 374.
 The glove material must be impermeable and resistant to the product.
 Due to the absence of specific testing, no recommendation can be given for the most suitable glove material for this product.

Selection of glove material must take into account:

- resistance to tearing
- permeation characteristics
- material degradation

Check gloves for damage before every use.

Preventive skin protection is recommended.

To avoid skin problems, gloves should be worn only for the necessary duration.

Glove material:

The choice of suitable gloves depends not only on the material but also on other quality features, which vary between manufacturers. Because the product consists of several substances, glove resistance cannot be predicted and must be checked before use.

Penetration time of glove material:

Consult the glove manufacturer to determine the exact breakthrough time and follow it.

For continuous contact, the following glove materials are suitable:

- Polychloroprene (material thickness \geq 0.5 mm; breakthrough time \geq 480 min)
- Nitrile rubber (material thickness \geq 0.35 mm; breakthrough time \geq 480 min)
- Butyl rubber (material thickness \geq 0.5 mm; breakthrough time \geq 480 min)
- Fluorinated rubber (material thickness \geq 0.4 mm; breakthrough time \geq 480 min)
- Neoprene (material thickness \geq 0.5 mm; breakthrough time \geq 480 min)

Unsuitable glove materials:

Impermeable gloves made of fabric, leather, or similar materials.

Eye/face protection:


If there is a risk of splashing, use tightly sealing protective goggles according to EN 166.

Body protection:


Protective work clothing.

Risk management measures:

Workers must be trained in the correct use of personal protective equipment to ensure its effectiveness.

8.2.3 Environmental exposure controls

Prevent release into the surrounding environment.

Use any remaining product or dispose of it professionally.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:
General Information

→ State: Liquid

Appearance:

→ Form: Liquid

→ Colour: Green

→ Odour: Mild

→ Odour threshold: Not relevant for safety



pH value

- ➔ At 20 °C: 8–10

Change of state

- ➔ Melting/freezing point: ~ 0 °C (ISO 3016)
- ➔ Boiling point or initial boiling point and boiling range: 100 °C
- ➔ Flammability: The substance is not flammable.
- ➔ Flash point: Not applicable
- ➔ Decomposition temperature: Not determined
- ➔ Oxidising properties: None

Explosive properties

- ➔ The product is not explosive.
- ➔ Lower and upper explosion limits: Lower: Not determined. Upper: Not determined
- ➔ Ignition temperature: The product is not self-igniting.

Vapour pressure

- ➔ At 20 °C: 23 hPa

Density / Relative density

- ➔ Density at 20 °C: 1.2–1.4 g/cm³
- ➔ Particle size

Viscosity

- ➔ Dynamic (20 °C): > 100 mPas (DIN 53019)

Solubility

- ➔ Water: Completely miscible

Partition coefficient (log value)

- ➔ Not determined

Solid content

- ➔ 25–27%

Solvent content

- ➔ Organic solvents: 0.6%
- ➔ VOC without water (EU): 1–1.28 g/L
- ➔ VOC with water (EU): 0.58–<0.76 g/L
- ➔ VOC with water (EU): 0.048–<0.054%

9.2 Other information**Information regarding physical hazard classes**

- ➔ Explosives: Not applicable
- ➔ Flammable gases: Not applicable
- ➔ Aerosols: Not applicable
- ➔ Oxidising gases: Not applicable
- ➔ Gases under pressure: Not applicable
- ➔ Flammable liquids: Not applicable
- ➔ Flammable solids: Not applicable
- ➔ Self-reactive substances and mixtures: Not applicable
- ➔ Pyrophoric (self-igniting) liquids: Not applicable
- ➔ Pyrophoric (self-igniting) solids: Not applicable
- ➔ Self-heating substances and mixtures: Not applicable
- ➔ Substances and mixtures which, in contact with water, emit flammable gases: Not applicable
- ➔ Oxidising liquids: Not applicable
- ➔ Oxidising solids: Not applicable
- ➔ Organic peroxides: Not applicable
- ➔ Substances corrosive to metals: Not applicable
- ➔ Desensitised explosives: Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No hazardous reactions are known.

10.2 Chemical stability

The product is stable when stored appropriately and kept dry.

Thermal decomposition / conditions to avoid decomposition:

No decomposition occurs when used as intended.

10.3 Possibility of hazardous reactions

No hazardous reactions are known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Minimum shelf life:

Storage period (+5°C to +25°C): See information on the packaging.

Additional information:

No further relevant information available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

The product has not been tested.

The classification is derived from the properties of the individual components.

Acute toxicity:

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification (LD ₅₀ = lethal dose, LC ₅₀ = lethal concentration)		
14808-60-7 Silicon dioxide (<1% RCS)		
Oral	LD ₅₀	> 5,000 mg/kg (rat)
Dermal	LD ₅₀	> 5,000 mg/kg (rat)
2682-20-4 2-Methyl-2H-isothiazol-3-one		
Oral	LD ₅₀	232-249 mg/kg (rat) (OECD 401)
Dermal	LD ₅₀	242 mg/kg (rat) (OECD 402)
Inhalation	LC ₅₀ (4h)	0.05 mg/L (ATE)
		0.11 mg/L (rat) (OECD 403)

Other information (experimental toxicology):		
14808-60-7 Silicon dioxide (<1% RCS)		
Skin irritation	OECD 404 (Skin)	rabbit: Not irritating
Eye irritation	OECD 405 (eye)	rabbit: Not irritating
Sensitisation	OECD 429 (LLNA)	mouse: Not sensitising
2682-20-4 2-Methyl-2H-isothiazol-3-one		
Oral toxicity	OECD 408, repeated dose oral toxicity, 90 days	19 mg/kg bw/day (rat)
Skin irritation	OECD 404 (Skin)	rabbit: Corrosive
Sensitisation	OECD 406, (Sensitisation)	guinea pig: Sensitising

Primary irritating effects

On the skin:

Based on available data, the classification criteria are not met.

On the eyes:

Based on available data, the classification criteria are not met.

Sensitisation:

With prolonged exposure, a sensitising effect may occur due to skin contact.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity – single exposure (STOT SE):

Based on available data, the classification criteria are not met.

Specific target organ toxicity – repeated exposure (STOT RE):

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Practical experience

No further relevant information available.

General notes

No further relevant information available.

11.2 Information on other hazards

Endocrine-disrupting properties

None of the substances contained in the product are listed as endocrine disruptors.



Revision: 2.0

Review Date: 08.04.2026

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

The product has not been tested.

The assessment is derived from the properties of the individual components.

Aquatic toxicity:	
2682-20-4 2-Methyl-2H-isothiazol-3-one	
LC ₅₀ (96 h, marine water):	2.98 mg/L (Water flea – Daphnia magna)
LC ₅₀ (96 h, freshwater):	0.934 mg/L (Water flea – Daphnia magna)
LC ₅₀ :	4.77 mg/L (Fish) (OECD 203)
EC ₁₀ :	0.044 mg/L (<i>Daphnia magna</i>) (OECD 211)
	4.93 mg/L (Fish)
EC ₅₀ :	41 mg/L (Activated sludge) (OECD 209)
	0.103 mg/L (Algae – <i>Pseudokirchneriella subcapitata</i>) (OECD 201)
EC ₅₀ (16 h):	2.3 mg/L (<i>Pseudomonas putida</i>)

12.2 Persistence and degradability

Some components of the mixture are biodegradable.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: This substance/mixture does not contain any components classified as persistent, bioaccumulative and toxic (PBT) at concentrations of 0.1% or higher.

vPvB: This substance/mixture does not contain any components classified as very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

12.6 Endocrine-disrupting properties

This substance/mixture does not contain any components with endocrine-disrupting properties according to the criteria of Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at concentrations of 0.1% or higher.

12.7 Other adverse effects

Literature:

No further relevant information available.

Ecotoxic effects:


No further relevant information available.

Behaviour in wastewater treatment plants:	
2682-20-4 2-Methyl-2H-isothiazol-3-one	
EC ₂₀ (3 h)	2.8 mg/L (Activated sludge organisms) (DIN 38412-3 TTC test)

SECTION 13: DISPOSAL CONSIDERATION

13.1 Waste treatment methods

Recommendation:



Do not dispose of the product with household waste. Do not allow it to enter the sewage system.

There is a risk of environmental contamination. Follow all applicable waste disposal regulations. Unused products and contaminated packaging must be kept closed. Ensure proper waste collection containers are used. Hand over waste to a specialised company authorised to handle such materials. Prevent the product from being released into the environment.

Do not allow the product to enter drains. Do not dispose of it with municipal waste. Empty containers may be used for energy recovery in a waste incineration plant or, if appropriately classified, placed in a landfill. Perfectly cleaned containers may be recycled.

Dispose of contents/container in accordance with local/regional/national/international regulations.

European Waste Catalogue (EWC):	
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11
15 01 02	Plastic packaging

08 01 12 → for residues of unused product

15 01 02 → for empty packaging

Uncleaned packaging

Recommendation:

Dispose of in accordance with official regulations. Only deliver completely empty packaging for recycling.

Recommended cleaning agent:

Water, possibly with added detergent.

SECTION 14: TRANSPORT INFORMATION

14.1. UN Number:

ADR, ADN, IMDG, IATA: Not applicable

14.2. Proper Shipping Name:

ADR, ADN, IMDG, IATA: Not applicable

14.3. Transport Hazard Class(es):

ADR, ADN, IMDG, IATA – Class: Not applicable

14.4. Packing Group:

ADR, IMDG, IATA: Not applicable

14.5. Environmental Hazards:

Marine pollutant: No

14.6. Special Precautions for User:

Not applicable

14.7. Transport in Bulk According to MARPOL Annex II and the IBC Code:

Not applicable

UN "Model Regulation": Not applicable

SECTION 15: REGULATORY INFORMATION**15.1 Regulations and legislation on health, safety, and environment specific to the mixture:**

Follow normal safety precautions for handling chemicals.

Directive 2004/42/EC

IIA(g) 30 – The product contains < 30 g/L VOC (see Section 9)

- Product type: Paints and varnishes
- Subcategory: Primers
- Water-based coatings, limit value: 30 g/L

EU Directive (EU) 2012/18**Named dangerous substances – ANNEX I:**

None of the substances contained in the product are listed.

National regulations**Water hazard class:**

Generally, not hazardous to water.

Other provisions, restrictions and prohibitions:

- Regulation (EC) No. 1907/2006 (REACH) – Registration, evaluation, authorisation, and restriction of chemicals; establishment of the European Chemicals Agency; amendments to Directive 1999/45/EC; repeal of Council Regulation (EEC) No. 793/93, Commission Regulation (EC) No. 1488/94, Council Directive 76/769/EEC, Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, and 2000/21/EC.
- Commission Regulation (EU) No. 878/2020 of 18 June 2020 – Amending Annex II to Regulation (EC) No. 1907/2006 (REACH).
- Regulation (EC) No. 1272/2008 (CLP Regulation) – Classification, labelling and packaging of substances and mixtures; amendments to Directives 67/548/EEC and 1999/45/EC; and amendment of Regulation (EC) No. 1907/2006.
- Regulation (EC) No. 1013/2006 of 14 June 2006 – On shipments of waste.
- Regulation (EU) No. 528/2012 of 22 May 2012 – Concerning the making available on the market and use of biocidal products.

15.2 Chemical Safety Assessment:

A chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Relevant hazard statements:

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H410 Very toxic to aquatic life with long-lasting effects.

Instructional notes:

Additional training beyond the legally required instruction for handling hazardous substances is not necessary.

Abbreviations and acronyms:

- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
- ICAO: International Civil Aviation Organisation
- MAK: Maximum workplace concentration (Austria/Germany)
- PBT: Persistent, bioaccumulative and toxic
- vPvB: Very persistent and very bioaccumulative
- ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- VOC: Volatile Organic Compounds
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%
- ATE: Acute Toxicity Estimate
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment – Chronic Category 1

The information provided in this datasheet is based on the data available to us at the date of its publication.

It is the user's responsibility to take appropriate precautionary measures and apply the recommendations described previously. The information presented in this datasheet should not be considered exhaustive.

Any use of the product not specified in the instructions on the packaging, our website, or other documents provided by our company is entirely the responsibility of the user.

Revision: 2.0
Review Date: 08.04.2026



EWI Pro Insulation Systems Ltd is registered in England No. 09898159
Email: info@ewipro.com Web: www.ewipro.com Contact: 0800 133 7072
Registered Office: Unit 1-2, King Georges Trading Estate, Davis Road, Chessington, England, KT9 1TT